BIOPHARMACEUTICS & DRUG DISPOSITION
(*Biopharm. drug dispos.*)

CONTENTS

VOLUME 16, ISSUE NOS. 1–9 (1995)

Issue No. 1, January

The Influence of Pregnancy on the Biotransformation and Urinary Excretion of Methoxyphenamine in Mice: B. C. Foster, D. L. Wilson, T. D. Cyr, J. Moffatt and H. S. Buttar 1

The Relationship Between Pharmacokinetic Behaviour of Glycyrrhizin and Hepatic Function in Patients with Acute Hepatitis and Liver Cirrhosis: Y. Yamamura, N. Tanaka, T. Santa, H. Kotaki, T. Aikawa, K. Uchino, T. Osuga, Y. Sawada and T. Iga . . 13

An *In Vitro* Study of the Influence of a Drug's Molecular Weight on Its Overall (Cl_t), Diffusive (Cl_d) and Convective (Cl_c) Clearance through Dialysers: M. V. Mac-Kay, I. P. Fernandez, J. H. Carranza and J. S. Burson 23

An Evaluation of Numerical Integration Algorithms for the Estimation of the Area Under the Curve (AUC) in Pharmacokinetic Studies: Z. Yu and F. S. Tse 37

The Estimation of the Plasma Free Fraction of Cyclosporine in Rabbits and Heart Transplant Patients: Application of a Physiological Model of Renal Clearance: A. K. Shah, R. C. Brundage, K. D. Lake and R. J. Sawchuk. 59

SHORT COMMUNICATION

The Validation of the Intestinal Permeability Approach to Predict Oral Fraction Dose Absorbed in Humans and Rats: W. L. Chiou . . 71

Issue No. 2, March

Erratum ii

Disposition Kinetics of HEPP in Rats after Intravenous, Oral and Intraperitoneal Administration. Correlation of Plasma and Brain Levels with the Anticonvulsant Effect: L. E. Gómez M., R. Cueva-Rolón and P. A. Lehmann F. 77

Plasma Lipoproteins as Targeting Carriers to Tumour Tissues after Administration of a Lipophilic Agent to Mice: T. Tokui, C. Kuroiwa, S. Muramatsu, Y. Tokui, K. Sasagawa, T. Ikeda and T. Komai . 91

Pharmacokinetics of the Novel Anticonvulsant HEPP After Single Intravenous Administration of Three Different Doses in Dogs: L. E. Gómez M. and P. A. Lehmann F. 105

BIOPHARMACEUTICS & DRUG DISPOSITION
(*Biopharm. drug dispos.*)

CONTENTS

VOLUME 16, ISSUE NOS. 1–9 (1995)

Issue No. 1, January

The Influence of Pregnancy on the Biotransformation and Urinary Excretion of Methoxyphenamine in Mice: B. C. Foster, D. L. Wilson, T. D. Cyr, J. Moffatt and H. S. Buttar 1

The Relationship Between Pharmacokinetic Behaviour of Glycyrrhizin and Hepatic Function in Patients with Acute Hepatitis and Liver Cirrhosis: Y. Yamamura, N. Tanaka, T. Santa, H. Kotaki, T. Aikawa, K. Uchino, T. Osuga, Y. Sawada and T. Iga . . 13

An *In Vitro* Study of the Influence of a Drug's Molecular Weight on Its Overall (Cl_t), Diffusive (Cl_d) and Convective (Cl_c) Clearance through Dialysers: M. V. Mac-Kay, I. P. Fernandez, J. H. Carranza and J. S. Burson 23

An Evaluation of Numerical Integration Algorithms for the Estimation of the Area Under the Curve (AUC) in Pharmacokinetic Studies: Z. Yu and F. S. Tse 37

The Estimation of the Plasma Free Fraction of Cyclosporine in Rabbits and Heart Transplant Patients: Application of a Physiological Model of Renal Clearance: A. K. Shah, R. C. Brundage, K. D. Lake and R. J. Sawchuk. 59

SHORT COMMUNICATION

The Validation of the Intestinal Permeability Approach to Predict Oral Fraction Dose Absorbed in Humans and Rats: W. L. Chiou . . 71

Issue No. 2, March

Erratum ii

Disposition Kinetics of HEPP in Rats after Intravenous, Oral and Intraperitoneal Administration. Correlation of Plasma and Brain Levels with the Anticonvulsant Effect: L. E. Gómez M., R. Cueva-Rolón and P. A. Lehmann F. 77

Plasma Lipoproteins as Targeting Carriers to Tumour Tissues after Administration of a Lipophilic Agent to Mice: T. Tokui, C. Kuroiwa, S. Muramatsu, Y. Tokui, K. Sasagawa, T. Ikeda and T. Komai . 91

Pharmacokinetics of the Novel Anticonvulsant HEPP After Single Intravenous Administration of Three Different Doses in Dogs: L. E. Gómez M. and P. A. Lehmann F. 105

Kinetic Modelling of Liposome Degradation in Peritoneal Macrophages: H. Harashima, N. Hirai and H. Kiwada 113

Dose Proportionality of Stavudine in HIV Seropositive Asymptomatic Subjects: Application to Bioequivalence Assessment of Various Capsule Formulations: S. Kaul, V. Mummaneni and R. H. Barbhaiya 125

The Effect of the Fat Content of Food on Pharmacokinetics and Pharmacodynamics of SDZ Fox 988, an Antidiabetic Agent, in the Dog: D. T.-W. Lau, G. Kalafsky. R. L. Aun and F. L. S. Tse. . 137

Uptake and Biodisposition of 2-Ylcyclanamide-1,3,4-thiadiazole (LY217896) by Red Blood Cells: P. L. Bonate and A. Peyton . . 151

Issue No. 3, April

Pharmacokinetics of Amoxicillin Coadministered with a Saline–polyethylene Glycol Solution in Healthy Volunteers: C. Padoin, M. Tod, N. Brion, K. Louchahi, V. Le Gros and O. Petitjean . . 169

Pharmacokinetics of Dolasetron Following Single- and Multiple-dose Intravenous Administration to Normal Male Subjects: A. Shah, R. Lanman, V. Bhargava, S. Weir and W. Hahne 177

The Effect of Food on the Absorption of ^{14}C-SDZ FOX 988, An Antidiabetic Agent, in Healthy Human Volunteers: D. T-W. Lau, G. Kalafsky and F. L. S. Tse 191

Pharmacokinetic Analysis of Diethylcarbonate Prodrugs of Ibuprofen and Naproxen; E. Samara, D. Avnir, D. Ladkani and M. Bialer . 201

Disposition of [3H]Fluvastatin Following Single Oral Doses in Beagle Dogs and Rhesus Monkeys with Bile Fistulae: F. L. S. Tse, J. G. Dain and G. Kalafsky 211

The Influence of Food Intake on the Effect of Two Controlled Release Formulations of Furosemide: G. Paintaud, G. Alván, S.-Å. Eckernäs, M. Wakelkamp and A. Grahnén 221

The Influence of Pyruvic Acid on the Pharmacokinetics of Sulphadiazine in Rabbits: K-Y. Hsu, D-J. Song and Y. Ho 233

SHORT COMMUNICATIONS

The Effect of Water Deprivation on the Pharmacokinetics of Methotrexate in Rats: S. J. Hwang, J. M. Park, W. I. Lee, O. N. Kim and M. G. Lee 245

The Effect of Dehydration on the Disposition Kinetics of Propranolol in Rats: E. J. Kim, W. H. Yoon, W. I. Lee, O. N. Kim and M. G. Lee. 251

Issue No. 4, May

Mean Residence Time of Drugs Administered Non-instantaneously and Undergoing Linear Tissue Distribution and Reversible Metabolism and Linear or Non-linear Elimination from the Central Compartment: H. Cheng 259

Absorption of New HIV-1 Protease Inhibitor, KNI-272, After Intraduodenal and Intragastric Administrations to Rats: Effect of Solvent: M. Sugahara, A. Kiriyama, Y. Hamada, Y. Kiso and K. Takada 269

Pharmacokinetics of Methotrexate After Intravenous and Intramuscular Injection of Methotrexate-bearing Positively Charged Liposomes to Rats: M. M. Kim, S. H. Lee, M. G. Lee, S. J. Hwang and C. K. Kim 279

The Bioavailability of Cefpodoxime Proxetil Tablets Relative to an Oral Solution: M. T. Borin, K. K. Forbes and G. S. Hughes 295

Time Course of Cyclosporine and its Metabolites in Blood, Liver and Spleen of Naive Lewis Rats: Comparison with Preliminary Data Obtained in Transplanted Animals: V. J. Wacher, T. Liu, J. P. Roberts, N. L. Ascher and L. Z. Benet. 303

Pharmacokinetics and Hepatic First-Pass Effect of (−)-Carbovir in the Anesthetized Rat: I. Soria and C. L. Zimmerman 313

Methodology for Using Oral Dose Pharmacokinetic Data to Select Drugs for Prolonged Release Formulations and Validation of the Method Using Simulated Data: M. Zhou and R. E. Notari . . 319

Pharmacokinetics of α-Dihydroergocriptine in Rats After Single Intravenous and Single and Repeated Oral Administrations: G. Coppi and S. Silingardi 333

SHORT COMMUNICATION

Pharmacokinetics of Aditoprim in Normal and Febrile Sheep: M. P. Iqbal, S. K. Niazi, M. K. Ashfaq and N. Mahboobali 343

Issue No. 5, July

REVIEW ARTICLE

Comparison of the Gastrointestinal Anatomy, Physiology and Biochemistry of Humans and Commonly Used Laboratory Animals: T. T. Kararli 351

ORIGINAL PAPERS

Bioavailability of Pseudoephedrine from Controlled Release Formulations in the Presence of Guaifenesin in Human Volunteers: V. Pade, J. Aluri, L. Manning and S. Stavchansky 381

Evaluation of the Effects of Ambroxol on the Ofloxacin Concentrations in Bronchial Tissues in COPD Patients with Infectious Exacerbation: F. Paganin, O. Bouvet, P. Chanez, D. Fabre, M. Galtier, P. Godard, F. B. Michel and F. Bressolle 393

Disposition and Bioavailability of the β_1-Adrenoceptor Antagonist Talinolol in Man: B. Trausch, R. Oertel, K. Richter and T. Gramatté . 403

The Acetylcholinesterase Oxime Reactivator HI-6 in Man: Pharmacokinetics and Tolerability in Combination with Atropine: J. G. Clement, D. G. Bailey, H. D. Madill, L. T. Tran and J. D. Spence . 415

Pharmacokinetics of the Antiarrhythmic Agent Tiracizine: Steady State Kinetics in Comparison with Single-Dose Kinetics: A. Berndt, R. Oertel, B. Terhaag, K. Richter and Th. Gramatté 427

Issue No. 6, August

Pharmacokinetics of Reboxetine in Healthy Volunteers. Single Oral Doses, Linearity and Plasma Protein Binding: D. M. F. Edwards, C. Pellizzoni, H. P. Breuel, A. Berardi, M. G. Castelli, E. Frigerio, I. Poggesi, M. Rocchetti, A. Dubini and M. Strolin Benedetti . . . 443

Pharmacokinetics of Amphotericin B in Rats as a Function of Dose Following Constant-rate Intravenous Infusion: H.-H. Chow, Y. Wu and M. Mayersohn 461

Selective Adherence of a Sucralfate–Tetracycline Complex to Gastric Ulcers: Implications for the Treatment of *Helicobacter pylori*: R. A. Yokel, K. M. Dickey and A. H. Goldberg 475

The Effect of Caffeine on the Pharmacokinetics of Acetaminophen in Man: N. Iqbal, B. Ahmad, K. H. Janbaz, A.-U. H. Gilani and S. K. Niazi. 481

Pharmacokinetics and Antitumour Activity of a New Anthracycline, DA-125, after Intravenous Administration to Subcutaneously Implanted Lewis–Lung-Carcinoma-Bearing Mice: S. D. Lee, J. B. Park, W. I. Lee, H. J. Shim, E. D. Lee, J. J. Lee, W. B. Kim, J. Yang, C.-K. Kim and M. G. Lee 489

Pharmacokinetics of Epidurally Administered Nicomorphine with its Metabolites and Glucuronide Conjugates in Patients Undergoing Pulmonary Surgery During Combined Epidural Local Anaesthetic Block and General Anaesthesia: P. M. Koopman-Kimenai, T. B. Vree, L. H. D. J. Booij and M. A. W. M. Hasenbos 507

SHORT COMMUNICATION

Measurement of Free Concentration of SDZ ICM 567 in Blood and Muscle Using Microdialysis Sampling: C. van Amsterdam, A. Boukhabza, B. Ofner, W. Pacha and M. Lemaire 521

LETTERS TO THE EDITOR 529

BOOK REVIEWS 533

Issue No. 7, October

Pharmacokinetics and Relative Bioavailability of Selegiline in Healthy Volunteers: I. Mahmood, J. S. Marinac, S. Willsie and W. D. Mason 535

Stability, Tissue Metabolism, Tissue Distribution and Blood Partition of Azosemide: S. H. Lee and M. G. Lee 547

Influence of Leucine on Intestinal Baclofen Absorption as a Model Compound of Neutral α-Aminoacids: T. Cercós-Fortea, A. Polache, A. Nácher, E. Cejudo-Ferragud, V. G. Casabó and M. Merino . . 563

Effects of Sensory (Teasing) Exposure to Food on Oral Propranolol Bioavailability: J. M. Power, D. J. Morgan and A. J. McLean . . 579

Stability and Pharmacokinetic Studies of a New Immunosuppressant, Mycophenolate Mofetil (RS-61443), in Rats: N. Sugioka, S. H. Chen, K. Hayashida, H. Koyama, T. Ohta, H. Kishimoto, T. Yasumura and K. Takada 591

Comparison of Plasma and Saliva Concentrations of the Active Monohydroxy Metabolite of Oxcarbazepine in Patients at Steady State: J. M. Cardot, P. Degen, G. Flesch, P. Menge and W. Dieterle . . 603

Factors Influencing the Protein Binding of Azosemide Using an Equilibrium Dialysis Technique: S. H. Lee and M. G. Lee . . . 615

Issue No. 8, November

A Population Pharmacokinetic Study of Alminoprofen Penetration into Synovial Fluid: M. Tod, C. Pobel, V. Le Gros, K. Louchahi, O. Petitjean, M. Brion and J. L. Garcia-Macé 627

Pharmacokinetics of HI-6 and Atropine in Anaesthetized Pigs after Administration by a New Autoinjector: A. G. Nyberg, G. Cassel, T. Jeneskog, L. Karlsson, R. Larsson, M. Lundström, L. Palmer and S.-Å. Persson. 635

Pharmaceutical and Biological Properties of Doxorubicin Encapsulated in Liposomes (L-ADM): The Effect of Repeated Administration on the Systemic Phagocytic Activity and Pharmacokinetics: K. Yachi, H. Kikuchi, N. Suzuki, R. Atsumi, M. Aonuma and Y. Kawato . 653

Pharmacokinetic Parameters of Antipyrine in Dog after Hepactectomy: M. Galtier, D. Briand, F. Pinquet, R. Gomeni, D. Fabre and F. Bressolle 669

Pharmacokinetics of Terbinafine and of Its Five Main Metabolites in Plasma and Urine, Following a Single Oral Dose in Healthy Subjects: H. Humbert, M. D. Cabiac, J. Denouël and S. Kirkesseli . . . 685

The Effect of Aging on the Pharmacokinetics of Nalbuphine in Rabbits: S.-T. Ho, J.-J. Wang, O. Y.-P. Hu and T.-H. Hu 695

Protein Binding of Sotalol Enantiomers in Young and Elderly Human and Rat Serum Using Ultrafiltration: R. A. Carr, F. M. Pasutto, R. Z. Lewanczuk and R. T. Foster 705

SHORT COMMUNICATION

Disposition Kinetics of Aditoprim in Two Monkeys in Comparison to Other Mammalian Species: M. P. Iqbal, S. K. Niazi, N. Mehboobali and A. A. Zaidi 713

Issue No. 9, December

The Effect of Three H_2-Receptor Antagonists on the Disposition of Cyclosporin A in the *In Situ* Perfused Rat Liver Model: C. M. Hughes, J. G. Swanton and P. S. Collier 719

Interspecies Pharmacokinetic Scaling of BSH in Mice, Rats, Rabbits and Humans: S. C. Mehta and D. R. Lu 735

Antibronchospasmic, Tachycardiac and Hypokalaemic Effects of L-Isoproterenol in Guinea-Pigs: H. Ohtani, K. Yamamoto, Y. Sawada and T. Iga. 745

Enantioselective Pharmacokinetics in Animals of Pazinaclone, a New Isoindoline Anxiolytic, and its Active Metabolite: T. Kondo, K. Yoshida, Y. Yoshimura and S. Tanayama 755

Factors Influencing the Protein Binding of YH-439 using an Equilibrium Dialysis Technique. A New Hepatoprotective Agent: W. I. Lee, W. H. Yoon, J. H. Park, J. W. Lee, C.-K. Shim and M. G. Lee 775

The Ratio of First to Zeroth Moments of the Plasma Profile of an Oral Drug Undergoing First-Pass and Linear Reversible Metabolism: H. Cheng 791

Author Index 797
Key Word Index 800
Volume Contents ii